



**EMERSON**<sup>™</sup>  
Industrial Automation

## Unimotor

055 to 250 Frames

0.72 Nm to 136 Nm  
(408 Nm Peak)




**CONTROL  
TECHNIQUES**

[www.controltechniques.com](http://www.controltechniques.com)



## Unimotor fm

**Unimotor fm is a high performance brushless AC servo motor range matched for use with Control Techniques drives. 'fm' stands for flexible motor, designed to accommodate a wide range of applications. The motors are available in seven frame sizes with various mounting arrangements and motor lengths.**



### Reliability and innovation

Unimotor fm is designed using a proven development process that prioritises innovation and reliability. This process has resulted in Control Techniques' market leading reputation for both performance and quality.


### Matched motor and drive combinations

Control Techniques motors and drives are designed to function as an optimised system. Unimotor fm is the perfect partner for Unidrive SP, Digitax ST and Epsilon EP drives.

### Features

Unimotor fm is suitable for a wide range of industrial applications, due to its extensive range of features

- Torque range: from 0.72 Nm to 136 Nm
- Standard and high energy parking brakes
- Numerous connector variants, e.g. vertical, 90° low profile, 90° rotatable and hybrid box on frame size 250
- Variety of flange possibilities (IEC/NEMA)
- Various shaft diameters; keyed or plain
- IP65 conformance; sealed against water spray and dust when mounted and connected
- Low inertia for high dynamic performance; high inertia option available
- World class performance
- Supported by rigorous testing for performance and reliability
- Optional high peak torque motors; up to 5 times stall torque
- Winding voltages of 400V and 220V
- Rated speeds include 1500 rpm, 2000 rpm, 3000 rpm, 4000 rpm, 6000 rpm and others available





## Faster set-up, optimised performance

When a Control Techniques servo drive is connected to a Unimotor fm fitted with a SinCos or Absolute encoder, it can recognise and communicate with the motor to obtain the “electronic nameplate” data. This motor data can then be used to automatically optimise the drive settings. This feature simplifies commissioning and maintenance, ensures consistent performance and saves time.

## Accuracy and resolution to suit your application requirement

Choosing the right feedback device for your application is critical in getting optimum performance. Unimotor fm has a range of feedback options that offer different levels of accuracy and resolution to suit most applications:

- Resolver: robust for extreme applications and conditions - low accuracy, medium resolution
- Inductive absolute: medium accuracy medium resolution
- Incremental encoder: high accuracy, medium resolution
- Optical SinCos: high accuracy, high resolution
- Single turn and multi-turn: Hiperface and EnDAT protocols supported

## Conformance and standards



LISTED E214439



### **Ideal for retrofit**

Unimotor fm is an ideal retrofit choice with features to ensure it can integrate easily with your existing servo motor applications. Unimotor fm has been designed so that existing Unimotor customers can easily migrate to the new platform. All connector interface types and mounting dimensions remain the same. If you are planning to retrofit your system, Unimotor fm is the obvious choice.

### **Custom built motors**

As part of our commitment to you, we can design special products to meet your application specific requirements.


### **Wide range of complementary accessories**

Unimotor fm has a wide range of complementary accessories to meet all your system requirements:


- Feedback and power cables for static and dynamic applications
- Fan boxes
- Gearboxes
- Connectors

### **All around the world, just around the corner**


Backed by Control Techniques' world wide support network in 65 countries through 90 subsidiary Drive Centres and resellers.



## Torque performance



NB: The selection of Drive-Motor combinations should be based on Duty/Load Profiles of the application



# DRIVING THE WORLD...

## Control Techniques Drive & Application Centres

**AUSTRALIA**  
 Melbourne Application Centre  
 T: +613 973 81777  
 controltechniques.au@emerson.com

Sydney Drive Centre  
 T: +61 2 9838 7222  
 controltechniques.au@emerson.com

**AUSTRIA**  
 Linz Drive Centre  
 T: +43 7229 789480  
 controltechniques.at@emerson.com

**BELGIUM**  
 Brussels Drive Centre  
 T: +32 1574 0700  
 controltechniques.be@emerson.com

**BRAZIL**  
 Emerson do Brazil Ltda  
 T: +5511 3618 6569  
 controltechniques.br@emerson.com

**CANADA**  
 Toronto Drive Centre  
 T: +1 905 201 4699  
 controltechniques.ca@emerson.com

Calgary Drive Centre  
 T: +1 403 253 8738  
 controltechniques.ca@emerson.com

**CHINA**  
 Shanghai Drive Centre  
 T: +86 21 5426 0668  
 controltechniques.ch@emerson.com

Beijing Application Centre  
 T: +86 10 856 31122 ext 820  
 controltechniques.ch@emerson.com

**CZECH REPUBLIC**  
 Brno Drive Centre  
 T: +420 541 192111  
 controltechniques.cz@emerson.com

**DENMARK**  
 Copenhagen Drive Centre  
 T: +45 4369 6100  
 controltechniques.dk@emerson.com

**FRANCE\***  
 Angoulême Drive Centre  
 T: +33 5 4564 5454  
 controltechniques.fr@emerson.com

**GERMANY**  
 Bonn Drive Centre  
 T: +49 2242 8770  
 controltechniques.de@emerson.com

Chemnitz Drive Centre  
 T: +49 3722 52030  
 controltechniques.de@emerson.com

Darmstadt Drive Centre  
 T: +49 6251 17700  
 controltechniques.de@emerson.com

**GREECE\***  
 Athens Application Centre  
 T: +0030 210 57 86086/088  
 controltechniques.gr@emerson.com

**HOLLAND**  
 Rotterdam Drive Centre  
 T: +31 184 420555  
 controltechniques.nl@emerson.com

**HONG KONG**  
 Hong Kong Application Centre  
 T: +852 2979 5271  
 controltechniques.hk@emerson.com

**INDIA**  
 Chennai Drive Centre  
 T: +91 44 2496 1123/  
 2496 1130/2496 1083  
 controltechniques.in@emerson.com

Pune Application Centre  
 T: +91 20 2612 7956/2612 8415  
 controltechniques.in@emerson.com

Kolkata Application Centre  
 T: +91 33 2357 5302/2357 5306  
 controltechniques.in@emerson.com

New Delhi Application Centre  
 T: +91 11 2 576 4782/2 581 3166  
 controltechniques.in@emerson.com

**IRELAND**  
 Newbridge Drive Centre  
 T: +353 45 448200  
 controltechniques.ie@emerson.com

**ITALY**  
 Milan Drive Centre  
 T: +39 02575 751  
 controltechniques.it@emerson.com

Reggio Emilia Application Centre  
 T: +39 02575 751  
 controltechniques.it@emerson.com

Vicenza Drive Centre  
 T: +39 0444 933400  
 controltechniques.it@emerson.com

**KOREA**  
 Seoul Application Centre  
 T: +82 2 3483 1605  
 controltechniques.kr@emerson.com

**MALAYSIA**  
 Kuala Lumpur Drive Centre  
 T: +603 5634 9776  
 controltechniques.my@emerson.com

**REPUBLIC OF SOUTH AFRICA**  
 Johannesburg Drive Centre  
 T: +27 11 462 1740  
 controltechniques.za@emerson.com

Cape Town Application Centre  
 T: +27 21 556 0245  
 controltechniques.za@emerson.com

**RUSSIA**  
 Moscow Application Centre  
 T: +7 495 981 9811  
 controltechniques.ru@emerson.com

**SINGAPORE**  
 Singapore Drive Centre  
 T: +65 6468 8979  
 controltechniques.sg@emerson.com

**SLOVAKIA**  
 EMERSON A.S  
 T: +421 32 7700 369  
 controltechniques.sk@emerson.com

**SPAIN**  
 Barcelona Drive Centre  
 T: +34 93 680 1661  
 controltechniques.es@emerson.com

Bilbao Application Centre  
 T: +34 94 620 3646  
 controltechniques.es@emerson.com

Valencia Drive Centre  
 T: +34 96 154 2900  
 controltechniques.es@emerson.com

**SWEDEN\***  
 Stockholm Application Centre  
 T: +468 554 241 00  
 controltechniques.se@emerson.com

**SWITZERLAND**  
 Lausanne Application Centre  
 T: +41 21 637 7070  
 controltechniques.ch@emerson.com

Zurich Drive Centre  
 T: +41 56 201 4242  
 controltechniques.ch@emerson.com

**TAIWAN**  
 Taipei Application Centre  
 T: +886 22325 9555  
 controltechniques.tw@emerson.com

**THAILAND**  
 Bangkok Drive Centre  
 T: +66 2962 2092 99  
 controltechniques.th@emerson.com

**TURKEY**  
 Istanbul Drive Centre  
 T: +90 216 4182420  
 controltechniques.tr@emerson.com

**UAE\***  
 Emerson FZE  
 T: +971 4 8118100  
 ct.dubai@emerson.com

**UNITED KINGDOM**  
 Telford Drive Centre  
 T: +44 1952 213700  
 controltechniques.uk@emerson.com

**USA**  
 California Drive Centre  
 T: +1 562 943 0300  
 controltechniques.us@emerson.com

Charlotte Application Centre  
 T: +1 704 393 3366  
 controltechniques.us@emerson.com

Chicago Application Centre  
 T: +1 630 752 9090  
 controltechniques.us@emerson.com

Cleveland Drive Centre  
 T: +1 440 717 0123  
 controltechniques.us@emerson.com

Florida Drive Centre  
 T: +1 239 693 7200  
 controltechniques.us@emerson.com

Latin America Sales Office  
 T: +1 305 818 8897  
 controltechniques.us@emerson.com

Minneapolis US Headquarters  
 T: +1 952 995 8000  
 controltechniques.us@emerson.com

Oregon Drive Centre  
 T: +1 503 266 2094  
 controltechniques.us@emerson.com

Providence Drive Centre  
 T: +1 401 541 7277  
 controltechniques.us@emerson.com

Utah Drive Centre  
 T: +1 801 566 5521  
 controltechniques.us@emerson.com

## Control Techniques Distributors

**ARGENTINA**  
 Euro Techniques SA  
 T: +54 11 4331 7820  
 eurotech@eurotechsa.com.ar

**BAHRAIN**  
 Emerson FZE  
 T: +971 4 8118100  
 ct.bahrain@emerson.com

**BULGARIA**  
 BLS - Automation Ltd  
 T: +359 32 968 007  
 info@blsaautomation.com

**CENTRAL AMERICA**  
 Mercado Industrial Inc.  
 T: +1 305 854 9515  
 rsaybe@mercadoindustrialinc.com

**CHILE**  
 Ingeniería Y Desarrollo  
 Tecnológico S.A  
 T: +56 2741 9624  
 idt@idt.cl

**COLOMBIA**  
 Sistronic LTDA  
 T: +57 2 555 60 00  
 sistronic@telesat.com.co

**CROATIA**  
 Zigg-Pro d.o.o  
 T: +385 1 3463 000  
 zigg-pro@zg.htnet.hr

**CYPRUS**  
 Acme Industrial Electronic  
 Services Ltd  
 T: +3572 5 332181  
 acme@cytanet.com.cy

**EGYPT**  
 Samiram  
 T: +202 7360849/  
 +202 7603877  
 samiramz@samiram.com

**FINLAND**  
 SKS Control  
 T: +358 207 6461  
 control@sksf.fi

**HUNGARY**  
 Control-VH Kft  
 T: +361 431 1160  
 info@controlvh.hu

**ICELAND**  
 Samey ehf  
 T: +354 510 5200  
 samey@samey.is

**INDONESIA**  
 Pt Apikon Indonesia  
 T: +65 6468 8979  
 info.my@controltechniques.com

Pt Yua Esa Sempurna  
 Sejahtera  
 T: +65 6468 8979  
 info.my@controltechniques.com

**ISRAEL**  
 Dor Drives Systems Ltd  
 T: +972 3900 7595  
 info@dor1.co.il

**KENYA**  
 Kassam & Bros Co. Ltd  
 T: +254 2 556 418  
 kassambros@africaonline.co.ke

**KUWAIT**  
 Emerson FZE  
 T: +971 4 8118100  
 ct.kuwait@emerson.com

**LATVIA**  
 EMT  
 T: +371 760 2026  
 janis@emt.lv

**LEBANON**  
 Black Box Automation  
 & Control  
 T: +961 1 443773  
 info@blackboxcontrol.com

**LITHUANIA**  
 Elinta UAB  
 T: +370 37 351 987  
 sigitas@elinta.lt

**MALTA**  
 Mekanika Limited  
 T: +35621 442 039  
 mfrancica@gasan.com

**MEXICO**  
 MELCSA  
 T: +52 55 5561 1312  
 melcsamx@iserve.net.mx  
 SERVITECK, S.A de C.V  
 T: +52 55 5398 9591  
 servitek@data.net.mx

**MOROCCO**  
 Leroy Somer Maroc  
 T: +212 22 354948  
 lsmaroc@wanadoopro.ma

**NEW ZEALAND**  
 Advanced Motor Control. Ph.  
 T: +64 (0) 274 363 067  
 info.au@controltechniques.com

**PHILIPPINES**  
 Control Techniques  
 Singapore Ltd  
 T: +65 6468 8979  
 info.my@controltechniques.com

**POLAND**  
 APATOR CONTROL Sp. z o.o  
 T: +48 56 6191 207  
 drives@apator.torun.pl

**PORTUGAL**  
 Harker Sumner S.A  
 T: +351 22 947 8090  
 drives.automation@harker.pt

**PUERTO RICO**  
 Powermotion  
 T: +1 787 843 3648  
 dennis@powermotionpr.com

**QATAR**  
 Emerson FZE  
 T: +971 4 8118100  
 ct.qatar@emerson.com

**SAUDI ARABIA**  
 A. Abunayyan Electric Corp.  
 T: +9661 477 9111  
 aec-salesmarketing@  
 abunayyanguroup.com

**SERBIA & MONTENEGRO**  
 Master Inzenjering d.o.o  
 T: +381 24 551 605  
 master@eunet.yu

**SLOVENIA**  
 PS Logatec  
 T: +386 1 750 8510  
 ps-log@ps-log.si

**TUNISIA**  
 SIA Ben Djemaa & CIE  
 T: +216 1 332 923  
 bendjemaa@planet.tn

**URUGUAY**  
 SECOIN S.A.  
 T: +5982 2093815  
 secoin@secoin.com.uy

**VENEZUELA**  
 Digimex Sistemas C.A.  
 T: +58 243 551 1634

**VIETNAM**  
 N.Duc Thinh  
 T: +84 8 9490633  
 infotech@nducthinh.com.vn