

DRIVING THE WORLD...

Control Techniques Drive & Application Centres

AUSTRALIA

Melbourne Application Centre
T: +613 973 81777
sales@controltechniques.com

Sydney Drive Centre
T: +61 2 9838 7222

sales.ct@controltechniques.com

AUSTRIA

Linz Drive Centre
T: +43 7229 789480
info.linz@controltechniques.com

BELGIUM

Brussels Drive Centre
T: +32 1574 0700
info@controltechniques.com

BRAZIL

Emerson do Brazil Ltda
T: +55 11 3618 6569
alfredo.rivas@emersonct.com

CANADA

Toronto Drive Centre
T: +1 905 201 4699
rdenley@emersonelectric.ca

Calgary Drive Centre
T: +1 403 253 8738

gcoleman@speedcodrives.com

CHINA

Shanghai Drive Centre
T: +86 21 5426 0668
sales.etsct@emersonindustrial.com

Beijing Application Centre
T: +86 10 856 31122 ext 820
sales.etsct@emersonindustrial.com

CZECH REPUBLIC

Brno Drive Centre
T: +420 541 192111
info@controltechniques.cz

DENMARK

Copenhagen Drive Centre
T: +45 4369 6100
ct@controltechniques.dk

FRANCE*

Angoulême Drive Centre
T: +33 5 4564 5454
patrice.benassy@leroy-somer.com

GERMANY

Bonn Drive Centre
T: +49 2242 8770
info@controltechniques.com

Chemnitz Drive Centre
T: +49 3722 52030
info.chemnitz@controltechniques.com

Darmstadt Drive Centre
T: +49 6251 17700
bensheim@controltechniques.de

GREECE*

Athens Application Centre
T: +0030 210 57 86086/088
leroy-som@otenet.gr

HOLLAND

Rotterdam Drive Centre
T: +31 184 420555
info@controltechniques.nl

HONG KONG

Hong Kong Application Centre
T: +852 2979 5271
chiev.fong@controltechniques.com

INDIA

Chennai Drive Centre
T: +91 44 2496 1123/
2496 1130/2496 1083
sales.india@controltechniques.com

Pune Application Centre
T: +91 20 2612 7956/2612 8415
sales.india@controltechniques.com

Kolkata Application Centre
T: +91 33 2357 5302/2357 5306
sales.india@controltechniques.com

New Delhi Application Centre
T: +91 11 2 576 4782/2 581 3166
sales.india@controltechniques.com

IRELAND

Dublin Drive Centre
T: +353 45 448200
ctie.sales@controltechniques.ie

ITALY

Milan Drive Centre
T: +39 02575 751
info.it@controltechniques.com

Reggio Emilia Application Centre
T: +39 02575 751
info.it@controltechniques.com

Vicenza Drive Centre
T: +39 0444 933400
drivecentre.vicenza@controltechniques.com

KOREA

Seoul Application Centre
T: +82 2 3483 1605
kyujin.cho@emersonindustrial.com

MALAYSIA

Kuala Lumpur Drive Centre
T: +603 5634 9776
info@controltechniques.com

REPUBLIC OF SOUTH AFRICA

Johannesburg Drive Centre
T: +27 11 462 1740
adis@controltechniques.co.za

Cape Town Application Centre
T: +27 21 556 0245
shaunp@controltechniques.co.za

RUSSIA

Moscow Application Centre
T: +7 495 981 9811
ct.russia@controltechniques.com

SINGAPORE

Singapore Drive Centre
T: +65 6468 8979
leecheng.yeo@controltechniques.com

SLOVAKIA

EMERSON S.A.S
T: +421 32 7700 369
ct@emerson.sk

SPAIN

Barcelona Drive Centre
T: +34 93 680 1661
antonio.herrero@controltechniques.com

Bilbao Application Centre
T: +34 94 620 3646
juan.gonzalez@controltechniques.com

Valencia Drive Centre
T: +34 96 154 2900
miguel.cabanes@controltechniques.com

SWEDEN*

Stockholm Application Centre
T: +468 554 241 00
info@controltech.se

SWITZERLAND

Lausanne Application Centre
T: +41 21 637 7070
lac@controltechniques.ch

Zurich Drive Centre
T: +41 56 201 4242
info@controltechniques.ch

TAIWAN

Taipei Application Centre
T: +886 22325 9555
Wahchooi.Ooi@controltechniques.com

THAILAND

Bangkok Drive Centre
T: +66 2580 7644
info.CTT@controltechniques.com

TURKEY

Istanbul Drive Centre
T: +90 216 4182420
info@controltech.com.tr

UAE*

Dubai Application Centre
T: +971 4 883 8650
dubai@leroy-somer.com

UNITED KINGDOM

Telford Drive Centre
T: +44 1952 213700
ctdirect@compuserve.com

USA

California Drive Centre
T: +1 562 943 0300
info@emersonct.com

Charlotte Application Centre
T: +1 704 393 3366
info@emersonct.com

Chicago Application Centre
T: +1 630 752 9090
info@emersonct.com

Cleveland Drive Centre
T: +1 440 717 0123
info@emersonct.com

Florida Drive Centre
T: +1 239 693 7200
info@emersonct.com

Latin America Sales Office
T: +1 305 818 8897
info@emersonct.com

Minneapolis US Headquarters
T: +1 952 995 8000
info@emersonct.com

Oregon Drive Centre
T: +1 503 266 2094
info@emersonct.com

Providence Drive Centre
T: +1 401 541 7277
info@emersonct.com

Utah Drive Centre
T: +1 801 566 5521
info@emersonct.com

Control Techniques Distributors

ARGENTINA

Euro Techniques SA
T: +54 11 4331 7820
eurotech@eurotechsa.com.ar

BAHRAIN

Iftikhar Electrical Est.
T: +973 271 1116
ieepower@batelco.com.bh

BULGARIA

BLS - Automation Ltd
T: +359 32 968 007
info@blsaautomation.com

CENTRAL AMERICA

Mercado Industrial Inc.
T: +1 305 854 9515
rsaybe@mercadoindustrialinc.com

CHILE

Ingeniería Y Desarrollo
Tecnológico S.A
T: +56 2741 9624
idt@idt.cl

COLOMBIA

Sistronic LTDA
T: +57 2 555 60 00
sistronic@telesat.com.co

CROATIA

Koncar - MES d.d.
T: +385 1 366 7273
nabava@koncar-mes.hr

CYPRUS

Acme Industrial Electronic
Services Ltd
T: +3572 5 332181
acme@cytanet.com.cy

EGYPT

Samiram
T: +202 7360849/
+202 7603877
samiramz@samiram.com

FINLAND

SKS Control
T: +358 985 2661
control@sksf.fi

HUNGARY

Control-VH Kft
T: +361 431 1160
info@controlvh.hu

ICELAND

Samey ehf
T: +354 510 5200
samey@samey.is

INDONESIA

Pt Apikon Indonesia
T: +65 6468 8979
Wahchooi.Ooi@controltechniques.com

Pt Yua Esa Sempurna Sejahtera
T: +65 6468 8979

Wahchooi.Ooi@controltechniques.com

ISRAEL

Dor Drives Systems Ltd
T: +972 3900 7595
info@dor1.co.il

KENYA

Kassam & Bros Co. Ltd
T: +254 2 556 418
kassambros@bidi.com

KUWAIT

Saleh Jamal & Company WLL
T: +965 483 2358
sjceng@almullagroup.com

LATVIA

EMT
T: +371 760 2026
janis@emt.lv

LEBANON

Black Box Automation &
Control
T: +961 1 443773
info@blackboxcontrol.com

LITHUANIA

Elinta UAB
T: +370 37 351 987
sigitas@elinta.lt

MALTA

Mekanika Limited
T: +35621 442 039
mfranca@gasan.com

MEXICO

MELCSA
T: +52 55 5561 1312
melcsamx@iserve.net.mx
SERVITECK, S.A de C.V
T: +52 55 5398 9591
servitek@data.net.mx

MOROCCO

Leroy Somer Maroc
T: +212 22 354948
lsmaroc@wanadooop.ma

NEW ZEALAND

Advanced Motor Control, Ph.
T: +64 (0) 274 363 067
sales@controltechniques.com

PHILIPPINES

Control Techniques Singapore Ltd
T: +65 6468 8979
Wahchooi.Ooi@controltechniques.com

POLAND

APATOR CONTROL Sp. z o.o
T: +48 56 6191 207
drives@apator.torun.pl

PORTUGAL

Harker Summer S.A
T: +351 22 947 8090
drives.automation@harker.pt

PUERTO RICO

Powermotion
T: +1 787 843 3648
dennis@powermotionpr.com

QATAR

AFI Sitna Technologies
T: +974 468 4442
jp33@qatar.net.qa

ROMANIA

Dor Drives International
T: +40 21 337 3465
dordrive@zappmobile.ro

SAUDI ARABIA

A. Abunayyan Electric Corp.
T: +9661 477 9111
aet-salesmarketing@abunayyanguroup.com

SERBIA & MONTENEGRO

Master Inzenjering d.o.o
T: +381 24 551 605
master@eunet.yu

SLOVENIA

PS Logatec
T: +386 1 750 8510
ps-log@ps-log.si

TUNISIA

SIA Ben Djemaa & CIE
T: +216 1 332 923
benjemmaa@planet.tn

URUGUAY


Secoin S.A
T: +5982 2093815
secoin@adinet.com.uy

VENEZUELA

Digimex Sistemas C.A.
T: +58 243 551 1634

VIETNAM

N.Duc Thinh
T: +84 8 9490633
infotech@nducthinh.com.vn



EMERSON[™]
Industrial Automation

Motor & Drive Solutions

From 90 to 675kW
(150HP to 1000HP)

LERROY[®]
SOMER



**CONTROL
TECHNIQUES**

www.controltechniques.com

EMERSON MOTOR AND DRIVE SOLUTIONS

Control Techniques Unidrive SP Free Standing drives and Leroy Somer cast iron FLS motors offer a total Emerson solution for your high power drive applications. Both companies offer quality and technology leadership to deliver the best possible combination of motors and drives. High efficiency motors combined with variable speed control offers an energy optimised solution.

CONTROL TECHNIQUES UNIDRIVE SP FREE STANDING 90 – 675kW

Unidrive SP Free Standing is a range of compact AC drives for high power motors. They inherit their reliability, performance and flexibility from the Unidrive SP modular range.

THE HARD WORK HAS BEEN DONE

Unidrive SP Free Standing drives are fully engineered and tested drive cubicles for AC input AC output configurations. Proven design and international approvals release your engineering resources to focus on your application.

Ordering a Unidrive SP Free Standing is easy. A simple model number specifies the drive power, voltage and dynamic braking requirement, additional reference codes add cabinet ancillaries such as MCCB, contactor, safety relay and EMC filter. The drive arrives ready to be sited in position, connected and commissioned. Standard colour and dimensions mean that Free Standing drives can be linked together with other cabinets.

MUCH MORE COMPACT

Unidrive SP Free Standing drives are up to 50% smaller and much lighter than competitors 'compact' drive cabinets. As an example, a 200kW drive including all in-cabinet ancillaries is only 400mm wide. This makes Unidrive SP Free Standing the obvious choice where space is limited.




90-355kW



Weights:
SP6: 199kg (439lb)
SP7: 214kg (472lb)
SP8: 266kg (586lb)


SP6, SP7, SP8

400-675kW



Weight:
532kg (1173lb)

SP9



SP Incomer

EASY TO MAINTAIN

Innovative design enables the compact drive modules to be easily accessed and removed for servicing or replacement.

PROVEN RELIABILITY

Unidrive SP Free Standing utilises mass produced drive modules with proven design and reliability. The modules and cubicles are assembled using a sequential build process that eliminates build variation and delivers consistently high quality. Excellent thermal and electrical design and computer modelling has ensured the converters have a long and productive life with trouble free operation.


IP21

EFFICIENT PERFORMANCE

The electrical, magnetic and mechanical design of the motor has been developed using sophisticated modelling techniques such as finite element analysis that ensure exceptional thermal and torque generating performance and optimum motor reliability.

FLS motors are high efficiency to minimise energy consumption which combined with Control Techniques drives offers an energy optimised solution for your drive applications.


High levels of shock and vibration resistance ensure the motors are reliable in the most demanding applications such as steel production, dock cranes or cement works.



FLEXIBLE POWER

FLS motors are available with a wide range of choices to ensure the motor matches your application needs. Various feedback devices, insulated bearings, safety brake and thermal protection methods are available.

FLS motors can be specified with CORROBLOC for an anti-corrosion finish that enables the motors to be used in humid, corrosive or harsh environments.




A standard range of motors are available for immediate delivery up to 300kW at 400 Volts.

GLOBAL SERVICE

Control Techniques and Leroy Somer sales and support centres are located around the world to ensure that service and expertise are just around the corner, all around the world.

LEROY SOMER FLS MOTORS

The FLS range of motors from Leroy Somer offers a standard series of AC motors that cover the power range of Control Techniques Unidrive SP Free Standing drives. The rugged and flexible design means that the motor can be reliably applied in almost any application.



◀ For more information regarding Unidrive SP Free Standing refer to Brochure 0175-0346

For more information regarding FLS motors refer to catalogue 3653 ▶

